

12m Chariot battery e-bus

Technical specification



Chariot Motors battery e-buses are sustainable, silent, and green EV

The Chariot Motors Company helps the transition to green public transportation by offering fully electric, zero emission, non-polluting e-buses. Our electric vehicles provide the transport operators with independence and emissions-free transportation by reducing harmful gases every day.

Our mission is to:

- encourage a better future for us all;
- · help make the environment clean and green;
- offer reliable and zero emission electric buses:
- · offer high energy efficiency and quality.

Chariot Motors battery e-buses offer independent emissions free travel on the road. Our full product range offers 6.8m, 8.5m, 8.8m, 12m, and 18m lengths of city and intercity electric buses. Chariot battery electric buses will cut transport operators costs by 80 percent per kilometre compared to diesel traction. Maintenance is 30 percent more economical than diesels due to the lack of a reciprocating engine and transmission.

Battery e-buses use the latest battery technology for energy storage, manufactured by the world leader CATL. Charging time is about four hours during the night and is sufficient for over 300km smooth and comfortable travel depending on the weather conditions (if heating, air conditioning is turned on, or there are traffic jams). Coziness of the vehicles is achieved by different fully electrically driven units communicating via standard CAN line. These buses are equipped with the most revolutionary powertrain systems produced by the original equipment manufacturers (OEM). Their unique features are the incomparable optimization of energy efficiency and dynamic smoothness of speed. All the systems integrated in these vehicles are manufactured by the worldwide leading companies with long experience in the bus production industry.

Chariot battery e-buses advantages are:

Long range and minimal infrastructure: E-buses are interoperable across routes without charging infrastructure, they can cover 300km range after 3 hours night charging. There is no need for daytime charging or public chargers.

High energy-efficiency: E-buses convert a higher percentage of stored energy from the battery to power the wheels, resulting in reduced energy waste. Regenerative braking systems also allow electric buses to recover and store energy that would be lost as heat during braking.

Lower operating costs: Our e-buses have low operating costs over their lifespan. They have fewer moving parts, resulting in reduced maintenance and repair requirements compared to combustion engine buses. Additionally, electricity is cheaper than diesel or gasoline, leading to lower fuel costs for electric buses. Night recharging coincides with off-peak times and uses cheap electricity;

Long-term sustainability and environmental benefits: Battery electric buses reduce local air pollution and greenhouse gas emissions by producing zero tailpipe emissions. Chariot battery e-buses contribute to improved air quality, especially in urban areas, where pollution from vehicles is a major concern.

Be a part of the sustainable urban transportation future, together with us!

Our experts are here to help your transition to this future. We at the Chariot Motors Company have acquired deep experience in the electric bus market since incorporation in 2009. We have supplied over 220 electric buses to many European and Israeli cities.

Contact us to help you with the transition to sustainability: info@chariot-electricbus.com

In January 2023 our e-buses covered more than 85 million kilometers worldwide of roadway.





100% electric, zero-emissions Chariot city e-bus

The brand new, fully electric Chariot city e-bus is a 12-metre electric bus with a range of up to 300km using CATL battery, the world leader in Lithium-Ion batteries. It is designed to feed the main lines of the city transportation, and it can navigate the streets of the cities without any difficulties.



100% electric, zero-emissions e-bus

With the future of the cities and transport operators in mind, Chariot Motors developed its electric buses. Our battery technology is the solution of urban transportation evolution with its highest safety levels, low energy consumption, and flexible charging options.

Comfort and technology

Have a quiet journey with the Chariot small city e-bus. It has spacious interior, wide panoramic view, fabric or plastic passenger seats, and efficient electric powertrain. Feel the comfort after taking the step into the fully electric, exquisite e-vehicle.

More Comfort

The Chariot small city e-bus has an ergonomic cockpit with wide angle view. The interior and exterior of the evehicle are adapted to the urban conditions. It has a wide windows area that offers a panoramic view of the city for the passengers. The powerful air conditioner and heater can handle any extreme climate fluctuations and makes the passenger feel comfortable during their traveling. The Chariot small city e-bus is very comfortable, silent and makes its drivers desire longer drive with its spacious and ergonomic cockpit. Its wide angle of view provides total control of the road. Set the level upon road conditions or kneel while passengers get on and off the bus, with Electric Controlled Air Suspension (ECAS).


Charging process

The Chariot small city e-bus can be charged through the charging socket at the rear right side with two types of AC and DC recharges battery for 3 hours at night and with quick charging for 10-15 min. through pantograph at the final stations.

Recuperation process

During its braking, the small city e-bus recuperates up to **25%** of its kinetic energy and charges its batteries again. This increases the e-bus range.

Safety



PASSENGER CAPACITY ALTERNATIVES













SEATED	MAX. STANDING	FOLDABLE	WHEELCHAIR	MAX. TOTAL PASSENGERS*
29	44	0	1	74
28	51	0	1	80
29	51	3	1	84

^{*} Passenger capacity depends on selected optional features & wheelchair area utilization. A wheelchair is valid only when foldable seats are not being used.

12 M BATTERY E-BUS DIMENTIONS





12m Chariot battery e-bus technical specifications

Driveline			
Electric motor	Standard -	Siemens	
Energy storage system	Standard -	CATL LFP battery	
Electric control system	Standard -	Higer electric control system	
Charging system	Standard -	"CCS-combo 2" type charging socket	
Maximum Speed	-	80km/h	
Bodywork			
Length × Width × Height (mm)	Standard -	12090 × 2550 × 3383	
Passenger capacity seated	Standard -	29+3 (foldable) +1	
Passenger capacity	Standard -	Max. 84	
Door arrangement	Standard -	3 (optional 2 doble doors)	
Driver seat	Standard -	ISRI	
Driver cabin	Standard -	The driver area is separated from the passenger compartment	
Side windows	Standard -	Single glazed with UV protection or black privacy tint and UV protection	
Rear-view Mirror	Standard -	Electric rear-view mirror	
Wheelchair ramp	Standard -	Manual wheelchair ramp; or Electric wheelchair ramp	
Chassis			
Front axle	Standard -	ZF RL82EC / RL82A	
Rear axle	Standard -	ZF AV 133	
Steering	Standard -	Electro-hydraulic power steering, Bosch 8098 steering gear	
Propeller shaft	Standard -	Maintenance-free	
Brakes	Standard -	Disc brake, Wabco EBS, ABS and ASR	
Auxiliary brake	Standard -		
Suspension levelling system	Standard -	ECAS II with kneeling function	
Tinon	Standard -	275/ 70R22.5	
Tires	Standard -	Alloy rim/ steel rim	
Electrical system			
Air-conditioning	Standard -	Separate climate control system for driver and passengers; Independent battery thermo control system	
Auxiliary heating system	Standard -	Electric defroster	
Air-Conditioning	Standard -	Spheros, REVO-E Global	
Driver dashboard	Standard -	Actia Podium 2	
Monitor system	Standard -	Yes	
Destinations signs	Standard -	LED destinations signs	
Front lights	Standard -	LED	
Rea/side lamps	Standard -	LED	
Brake light on the rear window	Standard -	Yes	
	-	WIFI	
Others	-	USB Type C Charger	
	-	Actia radio, Gooseneck microphone	



Find more information on: www.chariot-electricbus.com

Contact us via e-mail: info@chariot-electricbus.com

All images, tables, and specifications are Chariot Motors Company releases. Some features, applications, and services may vary.